

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/730,860	12/09/2003	Robert F. Rosenbluth	MCRVT-001BC	3526
. 7	590 11/30/2006	EXAMINER		
Robert D. Buy		DAWSON, GLENN K		
	BUYAN & MULLINS	1071017		
Suite #300		ART UNIT	PAPÉR NUMBER	
4 Venture		3731		
Irvine, CA 92	2618	DATE MAILED: 11/30/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application No.		Applicant(s)				
		10/730,860		ROSENBLUTH ET AL.				
		Examiner		Art Unit				
		Glenn K. Dawson	n	3731				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status								
1)🖂	Responsive to communication(s) filed on 12 Se	eptember 2006.		·				
2a)⊠	This action is FINAL . 2b) This action is non-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims								
5)□ 6)⊠ 7)⊠	4) Claim(s) 33,34,47,51-53 and 58-61 is/are pending in the application. 4a) Of the above claim(s) 58-61 is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 33,47 and 51-53 is/are rejected. 7) Claim(s) 34 is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.							
Applicati	on Papers							
_	The specification is objected to by the Examine	r.						
-	The drawing(s) filed on is/are: a) ☐ acce		ected to by the E	xaminer.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority L	ınder 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
Attachmen	t(s)							
	e of References Cited (PTO-892)	4) 🗌	Interview Summary					
3) Inform	e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	5) 6)	Paper No(s)/Mail Da Notice of Informal Pa Other:					

Application/Control Number: 10/730,860

Art Unit: 3731

Election/Restrictions

Newly submitted claims 58-61 are directed to an invention that is independent or distinct from the invention originally claimed for the following reasons: the product as claimed could be used in a materially different method, such as it could be used to dilate a body lumen.

Since applicant has received an action on the merits for the originally presented invention, this invention has been constructively elected by original presentation for prosecution on the merits. Accordingly, claims 58-61 are withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Page 2

Application/Control Number: 10/730,860

Art Unit: 3731

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary.

Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 33,47 and 51-53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsugita, et al.-5911734 in view of Cohen, et al.-5167239.

Tsugita discloses a device as shown in fig. 10-11 having an outer tube 132 constraining a clot removal device 50 on an inner tube 13. The inner tube extends to a point 14 distally past the distal end 136 of the outer tube. The clot removal device self-expands upon proximal retraction of the outer tube. See col. 13 line 42-col. 14 line 41. The resilient members 54 have proximal and distal ends attached to the inner catheter, and mid-portions which bow outwardly from the catheter as shown in fig. 11B when

Art Unit: 3731

expanded. Tsugita also discloses in col. 14 lines 19-27 that the filter mesh can be either on the proximal or distal end. When on the distal end, the movable collar 58 would move to the proximal end.

However, Tsugita does not disclose the guidewire. Cohen discloses a guidewire with lumens for balloon inflation fluid or medicament infusion for use in guiding catheters during vascular procedures. It would have been obvious to have used a guidewire to guide the device of fig. 10 in Tsugita into position, as this is the use of guidewires in cardiovascular procedures as it allows for traversal of the catheter through the tortuous vasculature lumens.

Allowable Subject Matter

Claim 34 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant's arguments filed 09-12-2006 have been fully considered but they are not persuasive.

Tsugita discloses that the outer sheath and the catheter are directed to the proper location in the vasculature; however it is not disclosed how this direction takes place. As guidewires have been known for years prior to applicant's invention to be used to guide catheters to specific locations in the vasculature, it would have been obvious to have used a guidewire inside of the catheter 12 to navigate the device

Art Unit: 3731

through the tortuous vasculature to place it in position to perform the removal procedure.

The examiner is unable to find any disclosure concerning fig. 10 which states that the catheter is devoid of an inner lumen. However, it should be noted that lacking a disclosure of the necessity for this embodiment to use a catheter without a lumen, it would not have destroyed the reference to have provided an inner lumen for the passage of the guidewire.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Glenn K. Dawson whose telephone number is 571-272-4694. The examiner can normally be reached on M-Th 7:30-5:00.

Art Unit: 3731

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan T. Nguyen can be reached on 571-272-4963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Glerin K Dawson Primary Examiner Art Unit 3731

Gkd 18 November 2006